



Pragma 5 Bug List



Last update:
October 15, 2001

Bug Reporting

We thank you in advance for reporting bugs. Please try to include the following information with your bug report.

Operating system and version.

Version and build of PRAGMA 5.

Step by step description of how to reproduce the bug. If possible by starting from a new vocab.

Pragma 5 (P5.EXE)

List Control

Highlight a row from within the program and then try to move the highlighted row with the down arrow. The highlighted row starts then again from row 1. (Houseware 11-2002)

It seems that the two ways to move a highlighted row maintain the position in two different memories. Have not found a way to change this behaviour.

Explorer

Do a List verbs, Trace and then a printout. The explorer must be open. After the printout command the explorer will be in the foreground.

Grid

Putting the grid on a tab control, after deleting and filling the grid, the grid refresh is done 2 times.

If you put a breakpoint into a script that erases a Grid, you can get a debug assertion. If ignored the program continues. (KK 02-98).

After a certain number of bitmaps have been displayed in the grid there is a crash.

Menus

Main Pragma menus cannot be accessed by keys after having gone to the START windows.

If you erroneously try to access a menu element in the Get or Set Form property there is a crash

Mouse

When changed the mouse cursor with SMOU the changed pointer changes back when moving the pointer with the mouse (11-96). See Begin wait and end wait in 95 book.

Printing

It is possible that when printing in landscape mode with small paper the margins are wrong. When PRSD and style 2 are chosen you cannot print in landscape mode.

Recap

When printing a recap and the text at the end of a page does not fit anymore on the page, the line number gets printed on the old page, separated from the text. Also the text indentation is wrong.

Start window

When running the Start window from the menus, the cursor at times vanishes. Click on any mouse button and the cursor will return

String properties

If a string property contains nothing, an occasional crash may occur. To avoid this problem all string properties are created with a space as default, when nothing else is appropriate. When deleting a string property, always insert a space, don't leave nothing.

[Home](#)

[Top](#)